

## Basic Information

<b>Product Name</b>	Anti-CD8A DyLight 550 Conjugated Antibody
<b>Gene Name</b>	CD8A
<b>Source</b>	Rabbit
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG
<b>Species Reactivity</b>	mouse
<b>Tested Application</b>	FCM
<b>Contents</b>	Each vial contains 50% glycerol, 0.9% NaCl, 0.2% Na <sub>2</sub> HPO <sub>4</sub> , 0.02% NaN <sub>3</sub> .
<b>Immunogen</b>	E. coli-derived mouse CD8 alpha recombinant protein (Position: K28-Y196).
<b>Fluorophores</b>	Amax=562nm; Emax=576nm
<b>Conjugate</b>	Dylight 550
<b>Concentration</b>	500ug/ml
<b>Purification</b>	Immunogen affinity purified.
<b>Dilution Ratios</b>	Flow cytometry (FCM):1-3 µg/1x10 <sup>6</sup> cells

## Storage

At -20°C for one year from date of receipt. Avoid repeated freezing and thawing. Protect from light.

## Background Information

The CD8 antigen is a cell surface glycoprotein found on most cytotoxic T lymphocytes that mediates efficient cell-cell interactions within the immune system. It is mapped to 2p11.2. The CD8 antigen, acting as a coreceptor, and the T-cell receptor on the T lymphocyte recognize antigen displayed by an antigen presenting cell (APC) in the context of class I MHC molecules. The functional coreceptor is either a homodimer composed of two alpha chains, or a heterodimer composed of one alpha and one beta chain. Both alpha and beta chains share significant homology to immunoglobulin variable light chains. This gene also encodes the CD8 alpha chain isoforms.

## Selected Validation Data

Product datasheet

**Anti-CD8A DyLight 550 Conjugated  
Antibody**

**Catalog Number: A02236-Dyl550**

**BOSTER**<sup>®</sup>

antibody and ELISA experts

**BOSTER BIOLOGICAL TECHNOLOGY**

Building C21, 3rd to 5th Floors, Optics Valley Biopharmaceutical Accelerator,  
East Lake High-Tech Development Zone, Wuhan.

**Web:** [www.boster.com](http://www.boster.com) **Phone:** 027-67845390/1/2 **Email:** [boster@boster.com](mailto:boster@boster.com)

暂无图片