# Product datasheet Anti-CDC6 Antibody Catalog Number: BA2581-2



Building C21, 3rd to 5th Floors, Optics Valley Biopharmaceutical Accelerator, East Lake High-Tech Development Zone, Wuhan.

Web: www.boster.com Phone: 027-67845390/1/2 Email: boster@boster.com

Basic Information	
Product Name	Anti-CDC6 Antibody
Gene Name	CDC6
Source	Rabbit
Clonality	Polyclonal
Isotype	IgG
Species Reactivity	human
Tested Application	WB
Contents	500 ug/ml antibody with PBS, 0.02% NaN3, 1 mg/ml BSA and 50% glycerol.
Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of human Cdc6.
Concentration	500 ug/ml
Purification	Immunogen affinity purified.
Observed MW	63 kDa
Dilution Ratios	Western blot (WB):1:500-2000

#### **Storage**

12 months from date of receipt, -20°C as supplied.

#### **Background Information**

Cell division control ptotein 6 homolog, also called CDC18L or CDC6, is a protein that in humans is encoded by the CDC6 gene. By analysis of somatic cell hybrids and by fluorescence in situ hybridization, this gene is mapped to 17q21.2. The protein encoded by this gene is highly similar to Saccharomyces cerevisiae Cdc6, a protein essential for the initiation of DNA replication. This protein functions as a regulator at the early steps of DNA replication. It localizes in cell nucleus during cell cyle G1, but translocates to the cytoplasm at the start of S phase. The subcellular translocation of this protein during cell cyle is regulated through its phosphorylation by Cdks. Transcription of this protein was reported to be regulated in response to mitogenic signals through transcriptional control mechanism involving E2F proteins. This gene is involved in the initiation of DNA replication.

### **Selected Validation Data**


## Product datasheet Anti-CDC6 Antibody Catalog Number: BA2581-2



**BOSTER BIOLOGICAL TECHNOLOGY** 

Building C21, 3rd to 5th Floors, Optics Valley Biopharmaceutical Accelerator, East Lake High-Tech Development Zone, Wuhan.

Web: www.boster.com Phone: 027-67845390/1/2 Email: boster@boster.com



Western blot analysis of CDC6 using anti-CDC6 antibody (BA2581-2). The sample well of each lane was loaded with 30 ug of sample under reducing conditions.

Lane 1: HELA whole cell tissue lysates.

After electrophoresis, proteins were transferred to a membrane. Then the membrane was incubated with rabbit anti-CDC6 antigen affinity purified polyclonal antibody (BA2581-2) at a dilution of 1:1000 and probed with a goat anti-rabbit IgG-HRP secondary antibody (Catalog # BA1054). The signal is developed using ECL Plus Western Blotting Substrate (Catalog # AR1197). A specific band was detected for CDC6 at approximately 63 kDa. The expected band size for CDC6 is at 63 kDa.