#### Product datasheet Anti-TRAF6 Antibody (Clone#BOG-20) Catalog Number: BM4061

BOSTER BIOLOGICAL TECHNOLOGY Building C21, 3rd to 5th Floors, Optics Valley Biopharmaceutical Accelerator, East Lake High-Tech Development Zone, Wuhan.

Web: www.boster.com Phone: 027-67845390/1/2 Email: boster@boster.com

antibody and FLISA

Basic Information		
Product Name	Anti-TRAF6 Antibody (Clone#BOG-20)	
Gene Name	TRAF6	
Source	Rabbit	
Clonality	Monoclonal	
lsotype	lgG	
Species Reactivity	human, mouse, rat	
Tested Application	WB,IHC,ICC/IF	
Contents	500 ug/ml; Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide, 0.4-0.5 mg/ml BSA and 50% glycerol.	
Immunogen	A synthesized peptide derived from human TRAF6	
Concentration	500 ug/ml	
Purification	Affinity-chromatography	
Observed MW	60 kDa	
Dilution Ratios	Western blot (WB): Immunohistochemistry (IHC): Immunocytochemistry/Immunofluorescence (ICC/IF)	1:500-2000 1:50-200 :1:50-200

### Storage

12 months from date of receipt, -20°C as supplied. 6 months 2 to 8°C after reconstitution. Avoid repeated freezing and thawing.

## **Background Information**

TNF receptor-associated factor 6, also called E3 ubiquitin-protein ligase TRAF6 or RNF85, is a TRAF human protein. The protein encoded by this gene is a member of the TNF receptor associated factor (TRAF) protein family. TRAF proteins are associated with, and mediate signal transduction from, members of the TNF receptor superfamily. This gene is mapped to 11p12. And this protein mediates signaling from members of the TNF receptor superfamily as well as the Toll/IL-1 family. Signals from receptors such as CD40, TNFSF11/RANCE and IL-1 have been shown to be mediated by this protein. Also this protein interacts with various protein kinases including IRAK1/IRAK, SRC and PKCzeta, which provides a link between distinct signaling pathways. This protein functions as a signal transducer in the NF-kappaB pathway that activates IkappaB kinase (IKK) in response to proinflammatory cytokines. The interaction of this protein with UBE2N/UBC13, and UBE2V1/UEV1A, which are ubiquitin conjugating enzymes catalyzing the formation of polyubiquitin chains, has been found to be required for IKK activation by this protein.

#### **Product datasheet** Anti-TRAF6 Antibody (Clone#BOG-20) Catalog Number: BM4061

antibody and F **BOSTER BIOLOGICAL TECHNOLOGY** 

R


Building C21, 3rd to 5th Floors, Optics Valley Biopharmaceutical Accelerator, East Lake High-Tech Development Zone, Wuhan.


Web: www.boster.com Phone: 027-67845390/1/2 Email: boster@boster.com

# Reference

Anti-TRAF6 Antibody (Clone#BOG-20)被引用在10文献中。

# **Selected Validation Data**





Immunohistochemical analysis of paraffin-embedded human lung carcinoma, using TRAF6 Antibody.

#### Product datasheet Anti-TRAF6 Antibody (Clone#BOG-20) Catalog Number: BM4061



BOSTER BIOLOGICAL TECHNOLOGY Building C21, 3rd to 5th Floors, Optics Valley Biopharmaceutical Accelerator, East Lake High-Tech Development Zone, Wuhan.

Web: www.boster.com Phone: 027-67845390/1/2 Email: boster@boster.com