

Basic Information

Product Name	Anti-TIPE2/TNFAIP8L2 Antibody	
Gene Name	TNFAIP8L2	
Source	Rabbit	
Clonality	Polyclonal	
Isotype	IgG	
Species Reactivity	human, mouse, rat	
Tested Application	WB, IHC, IF, IP, ELISA	
Contents	500 ug/ml antibody with PBS, 0.02% NaN ₃ , 1 mg BSA and 50% glycerol.	
Immunogen	E.coli-derived human TIPE2/TNFAIP8L2 recombinant protein (Position: M1-D180).	
Concentration	500 ug/ml	
Purification	Immunogen affinity purified.	
Observed MW	21 kDa	
Dilution Ratios	Western blot (WB): 1:500-2000 Immunohistochemistry (IHC): 1:50-400 Immunofluorescence (IF): 1:50-400 ImmunoPrecipitation (IP): 1:50 Enzyme linked immunosorbent assay (ELISA): 1:100-1000 (Boiling the paraffin sections in 10mM citrate buffer, pH6.0, or PH8.0 EDTA repair liquid for 20 mins is required for the staining of formalin/paraffin sections.) Optimal working dilutions must be determined by end user.	

Storage

12 months from date of receipt, -20°C as supplied.

Background Information

Predicted to be involved in negative regulation of T cell activation and negative regulation of inflammatory response. Predicted to be active in cytoplasm.

Selected Validation Data