Product datasheet Anti-TrkA/NTRK1 Antibody Catalog Number: BA0069-2

BUSTER®

antibody and ELISA experts
BOSTER BIOLOGICAL TECHNOLOGY

Building C21, 3rd to 5th Floors, Optics Valley Biopharmaceutical Accelerator, East Lake High-Tech Development Zone, Wuhan.

Web: www.boster.com Phone: 027-67845390/1/2 Email: boster@boster.com

Basic Information	
Product Name	Anti-TrkA/NTRK1 Antibody
Gene Name	NTRK1
Source	Rabbit
Clonality	Polyclonal
Isotype	IgG
Species Reactivity	mouse, rat
Tested Application	WB
Contents	500 ug/ml antibody with PBS, 0.02% NaN3, 1 mg/ml BSA and 50% glycerol.
Immunogen	A synthetic peptide corresponding to a sequence at the N-terminus of mouse TrkA, different from the related rat sequence by two amino acids.
Concentration	500 ug/ml
Purification	Immunogen affinity purified.
Observed MW	145 kDa
Dilution Ratios	Western blot (WB):1:500-2000

Storage

12 months from date of receipt, -20°C as supplied.

Background Information

Neurotrophic tyrosine kinase receptor type 1, also called Trk-A, is a protein that in humans is encoded by the NTRK1 gene. The NTKR1 gene encodes the neurotrophic tyrosine kinase-1 receptor and belongs to a family of nerve growth factor receptors whose ligands include neurotrophins. This gene is mapped to 1q23.1. This kinase is a membrane-bound receptor that, upon neurotrophin binding, phosphorylates itself and members of the MAPK pathway. The presence of this kinase leads to cell differentiation and may play a role in specifying sensory neuron subtypes. Mutations in this gene have been associated with congenital insensitivity to pain, anhidrosis, self-mutilating behavior, mental retardation and cancer.

Selected Validation Data


Product datasheet Anti-TrkA/NTRK1 Antibody Catalog Number: BA0069-2

BOSTER®
antibody and ELISA experts

BOSTER BIOLOGICAL TECHNOLOGY

Building C21, 3rd to 5th Floors, Optics Valley Biopharmaceutical Accelerator, East Lake High-Tech Development Zone, Wuhan.

Web: www.boster.com Phone: 027-67845390/1/2 Email: boster@boster.com



Western blot analysis of TrkA/NTRK1 using anti-TrkA/NTRK1 antibody (BA0069-2). The sample well of each lane was loaded with 30 ug of sample under reducing conditions.

Lane 1: Rat Brain tissue lysates,

Lane 2: Mouse Brain tissue lysates.

After electrophoresis, proteins were transferred to a membrane. Then the membrane was incubated with rabbit anti-TrkA/NTRK1 antigen affinity purified polyclonal antibody (BA0069-2) at a dilution of 1:1000 and probed with a goat anti-rabbit IgG-HRP secondary antibody (Catalog # BA1054). The signal is developed using ECL Plus Western Blotting Substrate (Catalog # AR1197). A specific band was detected for TrkA/NTRK1 at approximately 145 kDa. The expected band size for TrkA/NTRK1 is at 88 kDa.