


Basic Information

Product Name	Anti-TPO Antibody
Gene Name	Tpo
Source	Rabbit
Clonality	Polyclonal
Isotype	IgG
Species Reactivity	mouse, rat
Tested Application	WB
Contents	500 ug/ml antibody with PBS, 0.02% NaN3, 1 mg/ml BSA and 50% glycerol.
Immunogen	Polypeptide
Concentration	500 ug/ml
Purification	Immunogen affinity purified.
Observed MW	103 kDa
Dilution Ratios	Western blot (WB):1:500-2000

Storage

12 months from date of receipt, -20°C as supplied.

Selected Validation Data



Western blot analysis of TPO using anti-TPO antibody (BA0087-2).

The sample well of each lane was loaded with 30 ug of sample under reducing conditions.

Lane 1: ,

Lane 1: Rat liver tissue lysates.

After electrophoresis, proteins were transferred to a membrane.

Then the membrane was incubated with rabbit anti-TPO antigen affinity purified polyclonal antibody (BA0087-2) at a dilution of 1:1000 and probed with a goat anti-rabbit IgG-HRP secondary

Product datasheet

Anti-TPO Antibody

Catalog Number: **BA0087-2**

BOSTER[®]

antibody and ELISA experts

BOSTER BIOLOGICAL TECHNOLOGY

Building C21, 3rd to 5th Floors, Optics Valley Biopharmaceutical Accelerator,
East Lake High-Tech Development Zone, Wuhan.

Web: www.boster.com **Phone:** 027-67845390/1/2 **Email:** boster@boster.com

antibody (Catalog # BA1054). The signal is developed using ECL Plus Western Blotting Substrate (Catalog # AR1197). A specific band was detected for TPO at approximately 103 kDa. The expected band size for TPO is at 103 kDa.