BOSTER BIOLOGICAL TECHNOLOGY Building C21, 3rd to 5th Floors, Optics Valley Biopharmaceutical Accelerator, East Lake High-Tech Development Zone, Wuhan.

Web: www.boster.com Phone: 027-67845390/1/2 Email: boster@boster.com

antibody and FLIS

| Basic Information  |                                                                                                                                                                                                                                                                                                |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Name       | Anti-HSPG2 Antibody                                                                                                                                                                                                                                                                            |
| Gene Name          | HSPG2                                                                                                                                                                                                                                                                                          |
| Source             | Rabbit                                                                                                                                                                                                                                                                                         |
| Clonality          | Polyclonal                                                                                                                                                                                                                                                                                     |
| lsotype            | IgG                                                                                                                                                                                                                                                                                            |
| Species Reactivity | human, mouse, rat, rabbit                                                                                                                                                                                                                                                                      |
| Tested Application | IHC                                                                                                                                                                                                                                                                                            |
| Contents           | 500 ug/ml antibody with PBS, 0.02% NaN3, 1 mg/ml BSA and 50% glycerol.                                                                                                                                                                                                                         |
| Immunogen          | E.coli-derived human HSPG2 recombinant protein (Position: F524-K701). Human HSPG2 shares 86% amino acid (aa) sequence identity with mouse HSPG2.                                                                                                                                               |
| Concentration      | 500 ug/ml                                                                                                                                                                                                                                                                                      |
| Purification       | Immunogen affinity purified.                                                                                                                                                                                                                                                                   |
| Dilution Ratios    | Immunohistochemistry in paraffin section IHC-(P): 1:50-400<br>(Boiling the paraffin sections in 10mM citrate buffer,pH6.0,or PH8.0 EDTA repair liquid for 20<br>mins is required for the staining of formalin/paraffin sections.) Optimal working dilutions<br>must be determined by end user. |

## Storage

12 months from date of receipt, -20°C as supplied. 6 months 2 to 8°C after reconstitution. Avoid repeated freezing and thawing.

## **Background Information**


Perlecan (PLC) also known as HSPG2, is a protein that in humans is encoded by the HSPG2 gene. It is mapped to 1p36.12. Perlecan is highly conserved across species and the available data indicate that it has evolved from ancient ancestors by gene duplication and exonshuffling. Perlecan is a key component of the vascular extracellular matrix, here it interacts with a variety of other matrix components and helps to maintain the endothelial barrier function. It is a potent inhibitor of smooth muscle cell proliferation and is thus thought to help maintain vascular homeostasis. Perlecan can also promote growth factor (e.g., FGF2) activity and thus stimulate endothelial growth and re-generation.

## **Selected Validation Data**

antibody and ELISA experts BOSTER BIOLOGICAL TECHNOLOGY Building C21, 3rd to 5th Floors, Optics Valley Biopharmaceutical Accelerator, East Lake High-Tech Development Zone, Wuhan.

Web: www.boster.com Phone: 027-67845390/1/2 Email: boster@boster.com

R



IHC analysis of HSPG2 using anti-HSPG2 antibody (BA3247-1). HSPG2 was detected in a paraffin-embedded section of rat ovary tissue. The tissue section was incubated with rabbit anti-HSPG2 Antibody (BA3247-1) at a dilution of 1:200 and developed using HRP Conjugated Rabbit IgG Super Vision Assay Kit (Catalog # SV0002) with DAB (Catalog # AR1027) as the chromogen.